



ff

BUILDING PRODUCT INFORMATION SHEET

Class:

1

Product Name

RSF Insulated Flues and Components

Product Description

Insulated Free Standing Flues and Flue Kits. 6' diameter internal flue. Stainless steel inner and outer flue and components.

Tested to ASNZS2918.2018. Letter of opinion of compliance with ASNZS2918.2001

Material

- 304 2b Stainless Steel
- Stovebright Paint –Metallic
- Isowool Fibre Blanket 160 kg/m³

Intended Use & Limitations

Intended for use in conjunction with a free standing domestic wood-burning fire appliances tested to ASNZS2918.2001. Can be used with Passive and non Passive houses.

Product Identifier

RSF Room Seal Insulated Twist Lock flue



Place of Manufacture

China & Australia

Manufacturer Name

Supplied through: Pivot Stove and Heating Co Pty Ltd

120 Victoria Street, Nth Geelong, Australia

Imported by: Foley Industries

33 Bishop Dunn Place, Flat Bush, Auckland, New Zealand 2013

www.foleyind.co.nz

equiries@foleyind.co.nz

Phone: (09) 2744 766

NZBN: 9429039183958

Servicing Information

Please contact your local NZHHA registered installer

Find a Service – NZHHA

www.nzhha.co.nz/find-a-service

Relevant Building Code Clause

Durability: B2.3.1 (b) (i)

This flue kit is tested to ASNZA 2918 appendix F

- RSF stainless steel flues have a durability of 15+ years provided: and comes with a 7 year warranty
 - The flue kit and appliance have been installed by a registered installer in compliance with ASNZS2918
 - The flue kit has been annually swept and serviced
 - Only natural untreated soft tree wood with less than 25% moisture content have been used as fuel in the appliance
 - The appliance and flue kit is not modified in anyway that is not compliant with ASNZS2918
 - The environment is compliant with 2918 and material manufacture specifications
- Stovebright paint – 1200F (648 Deg C)
- Isowol Fibre Blanket – 1260 Deg C



Installation Requirements

General information can be found in the video library. For detailed information refer to the specific installation instructions for each flue kit.

[Insulated Room Sealed Video Library - Pivot Stove & Heating Company](#)

The flue kit and appliance must be installed by a registered installer in compliance with ASNZS2918

Maintenance Requirements

The flue kit is required to be annually swept, serviced and inspected by a registered installer

Is the Product Subject to Warning or Ban Under Section 26 of the Building Act 2004

N/A